

EAST Search History

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|--|---|------------------|---------|------------------|
| L1 | 274 | (significance or urgency) near3 data with value and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:38 |
| L2 | 0 | (significance or urgency) near3 data with value same (multiple or many) with protocol and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:38 |
| L3 | 3 | (significance or urgency) near3 data with value and (multiple or many) with protocol and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:39 |
| L4 | 37 | ((significance or urgency) near3 data with value).ab.ti. and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:41 |
| L5 | 87 | determin\$4 same (significance or urgency) near3 data with value and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:42 |
| L6 | 79 | I5 not I4 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:41 |
| L7 | 21 | determin\$4 same (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:52 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| L8 | 9 | (transmit\$4 or send\$4) same (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:52 |
| L9 | 1 | (assign\$4) near2 (significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:46 |
| L10 | 9 | (assign\$4) with(significance or urgency) near data with value and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:48 |
| L11 | 61 | (assign\$4) with(significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:49 |
| L12 | 52 | l11 not l10 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:48 |
| L13 | 0 | (assign\$4) with(significance or urgency) near data and (multiple or many or several) with protocol and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:49 |
| L14 | 367 | determin\$4 same (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:52 |

EAST Search History

| | | | | | | |
|-----|-------|--|---|----|-----|------------------|
| L15 | 216 | (transmit\$4 or send\$4) same (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:55 |
| L16 | 95 | (transmit\$4 or send\$4) with (significance or urgency) near data and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| L17 | 2 | ("0000709").PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| L18 | 60772 | ("709").CLAS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| L19 | 8 | L18 and L16 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 14:53 |
| L20 | 2 | (transmit\$4 or send\$4) same (significance or urgency) near data same (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:56 |
| L21 | 7 | (transmit\$4 or send\$4) same (significance or urgency) near data and (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:59 |

EAST Search History

| | | | | | | |
|-----|------|---|--|----|-----|------------------|
| L22 | 13 | (significance or urgency) near data and (connect\$4 near3 parameter) and (@ad<="20030409" or @rlad<="20030409") | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:59 |
| L23 | 6 | l22 not l21 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | ON | 2008/01/22 14:59 |
| L24 | 4 | ((("6785730") or ("20010025322")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2008/01/22 15:32 |
| S1 | 5 | ((("6282454") or ("6061603") or ("5805442")).PN. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:26 |
| S2 | 0 | 709/206,228,229 | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:24 |
| S3 | 9951 | (709/206,228,229).CCLS. | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:25 |
| S4 | 0 | convert\$4 same protcol same (many or multiple) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:28 |

EAST Search History

| | | | | | | |
|-----|------|--|--|----|-----|------------------|
| S5 | 15 | convert\$4 same protocol and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:27 |
| S6 | 2713 | convert\$4 same protocol same (many or multiple) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:29 |
| S7 | 208 | (convert\$4 same protocol same (many or multiple)).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:36 |
| S8 | 0 | (convert\$4 same protocol same (many or multiple)).ab,ti. and web\$browser and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:30 |
| S9 | 6 | (convert\$4 same protocol same (many or multiple)) and web\$browser and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:30 |
| S10 | 12 | (convert\$4 same protocol same (many or multiple)).ab,ti. and (binary) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:41 |
| S11 | 4 | (convert\$4 same (HTTP) same protocol same (many or multiple)).ab, ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:41 |

EAST Search History

| | | | | | | |
|-----|-----|--|---|----|-----|------------------|
| S12 | 4 | (convert\$4 same (HTTP) same protocol same (many or multiple)).ab, ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:42 |
| S13 | 98 | (convert\$4 same (HTTP) same protocol).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:52 |
| S14 | 5 | S13 and S3 | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:47 |
| S15 | 2 | (convert\$4 same (HTTP) same protocol same binary).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:49 |
| S16 | 44 | (convert\$4 same (HTTP) same protocol same binary) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:50 |
| S17 | 7 | (convert\$4 same (HTTP) same protocol same binary adj2 data) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:52 |
| S18 | 193 | (convert\$4 same (HTTP) same protocol same ((binary adj2 data) or audio or video)) and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:53 |

EAST Search History

| | | | | | | |
|-----|-----|---|---|----|-----|------------------|
| S19 | 8 | (convert\$4 same (HTTP) same protocol same ((binary adj2 data) or audio or video)).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/21 09:53 |
| S20 | 927 | (convert\$4 same (HTTP) same protocol) and web same server and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:52 |
| S21 | 347 | (convert\$4 same (HTTP) same protocol) same web same server and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:52 |
| S22 | 199 | (convert\$4 same (HTTP) same protocol) same web near server and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:59 |
| S23 | 7 | (convert\$4 same (HTTP) same protocol) same web near server same automati\$5 and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:53 |
| S24 | 21 | ((convert\$4 same (HTTP) same protocol) same web near server).ab,ti. and @ad<="20030409" | US-PGPUB; USPAT; USOCR; FPRS; EPO; DERWENT; IBM_TDB | OR | OFF | 2007/08/23 07:59 |